

WHY OPT FOR STEELIT[®] DOORS?

Quality finishing

Frame insert with mounting brackets

Swing to left or right

Choice of 3 quality door handles

Rigorous silicone finish

Double layer laminated safety glass

Low-maintenance textured coating

Welded hinges

Locking points above and below

COLOR OPTIONS



RAL 9005 Black	Standard
RAL 9016 White	Option

DOOR HANDLE OPTIONS



Standard door handle Invisible door handle *	Standard
Modern door handle	Option
Standard & modern door handle satin-finished brass	Option

GLASS OPTIONS



Standard glas *	Standard
Milk glass *	Option
Cathedral glass	Option

(* Safety glass)

DOOR COLLECTION



DOOR DUO COLLECTION



CLASSIC 4



MODERN 3



CLASSIC 6



CLASSIC 8



CLASSIC 12



MODERN UNI



MODERN 4



MODERN 4E

STEELIT® DOOR DIMENSIONS

	Classic				Modern NEW			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
775 x 2014 mm	✓	✓	✓	✓	✓	✓	✓	✓
775 x 2114 mm	✓	✓	✓	✓	✓	✓	✓	✓
875 x 2014 mm	✓	✓	✓	✓	✓	✓	✓	✓
875 x 2114 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 975 x 2114 mm	✓	✓	✓	✓	✓	✓	✓	✓
975 x 2314 mm	✓	✓	✓	✓	✓	✓	✓	✓
975 x 2514 mm			✓		✓	✓	✓	✓

HOW DO I CALCULATE MY DOOR OPENING?

The secret behind every STEELIT® DOOR lies in the perfect fit between door and wall. The frame insert is fitted with mounting brackets to ensure that it can be firmly and robustly secured to the wall while providing a seamless finish.

<i>Net width door</i>	Minimum width of unfinished door opening	<i>Net height door</i>	Minimum height of unfinished door opening
775 mm	800 mm	2014 mm	2026 mm
875 mm	900 mm	2114 mm	2126 mm
975 mm	1000 mm	2314 mm	2326 mm
		2514 mm	2526 mm

STEELIT® DOOR DUO DIMENSIONS

<i>net dimensions width x height</i>	Classic				Modern NEW			
	4	6	8	12	UNI	3	4	4E
1536 x 2014 mm	✓	✓	✓	✓	✓	✓	✓	✓
1536 x 2114 mm	✓	✓	✓	✓	✓	✓	✓	✓
1736 x 2014 mm	✓	✓	✓	✓	✓	✓	✓	✓
1736 x 2114 mm	✓	✓	✓	✓	✓	✓	✓	✓
1936 x 2314 mm	✓	✓	✓	✓	✓	✓	✓	✓
1936 x 2514 mm			✓		✓	✓	✓	✓

HOW DO I CALCULATE MY DOOR OPENING?

The secret behind every STEELIT® DOOR lies in the perfect fit between door and wall. A larger door opening is needed to secure the 2-fold frame insert to the wall. The STEELIT® frame makes sure the door is mounted firmly and robustly to the wall, with a seamless finish after plastering.

<i>Net width door</i>	Minimum width of unfinished door opening	<i>Net height door</i>	Minimum height of unfinished door opening
1536 mm	1560 mm	2014 mm	2026 mm
1736 mm	1760 mm	2114 mm	2126 mm
1936 mm	1960 mm	2314 mm	2326 mm
		2514 mm	2526 mm

SLIDE COLLECTION



CLASSIC 4



MODERN 3



CLASSIC 6



CLASSIC 8



CLASSIC 12



MODERN UNI



MODERN 4



MODERN 4E


SLIDE DUO COLLECTION



STEELIT® SLIDE DIMENSIONS

	Classic				Modern 			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
957 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
957 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Door leaf dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
957 x 2095 mm	min 900 x 2050 mm / max. 900 x 2090 mm					160 mm		
957 x 2295 mm	min 900 x 2250 mm / max. 900 x 2290 mm					160 mm		

STEELIT® SLIDE DUO DIMENSIONS

	Classic				Modern 			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
1914 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
1914 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Combined door leaves dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
1914 x 2095 mm	min 1860 x 2050 mm / max. 1860 x 2090 mm					160 mm		
1914 x 2295 mm	min 1860 x 2250 mm / max. 1860 x 2290 mm					160 mm		

STEELIT® SLIDE doors are fitted with a soft-close system as standard.

SLIDE INTENSE COLLECTION



SLIDE INTENSE DUO COLLECTION



STEELIT® SLIDE INTENSE DIMENSIONS

	Classic				Modern 			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
957 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
957 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Door leaf dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
957 x 2095 mm	min 900 x 2050 mm / max. 900 x 2090 mm					110 mm		
957 x 2295 mm	min 900 x 2250 mm / max. 900 x 2290 mm					110 mm		

STEELIT® SLIDE INTENSE DUO DIMENSIONS

	Classic				Modern 			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
1914 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
1914 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Combined door leaves dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
1914 x 2095 mm	min 1860 x 2050 mm / max. 1860 x 2090 mm					110 mm		
1914 x 2295 mm	min 1860 x 2250 mm / max. 1860 x 2290 mm					110 mm		

STEELIT® SLIDE INTENSE doors are fitted with a soft-close system as standard.

SLIDE AUTOMATIC COLLECTION

STEELIT® SLIDE AUTOMATIC DIMENSIONS

	Classic				Modern			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
NEW 957 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 957 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Door leaf dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
957 x 2095 mm	min 900 x 2050 mm / max. 900 x 2090 mm					100 mm		
957 x 2295 mm	min 900 x 2250 mm / max. 900 x 2290 mm					100 mm		

STEELIT® SLIDE AUTOMATIC DUO DIMENSIONS

	Classic				Modern			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
NEW 1914 x 2095 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 1914 x 2295 mm	✓	✓	✓	✓	✓	✓	✓	✓
<i>Combined door leaves dimensions</i>	Recommended finished door opening					Minimal space required above door opening		
1914 x 2095 mm	min 1860 x 2050 mm / max. 1860 x 2090 mm					100 mm		
1914 x 2295 mm	min 1860 x 2250 mm / max. 1860 x 2290 mm					100 mm		



THE STEELIT® SLIDE AUTOMATIC NEEDS TO BE CONNECTED TO THE POWER SUPPLY AT THE HEIGHT OF THE RAIL.



WOOD COLLECTION



STEELIT® WOOD DIMENSIONS

DOOR	Minimum dimensions of unfinished door opening	DOOR DUO	Minimum dimensions of unfinished door opening
775 x 2014 mm	800 x 2026 mm	1536 x 2014 mm	1560 x 2026 mm
775 x 2114 mm	800 x 2126 mm	1536 x 2114 mm	1560 x 2126 mm
875 x 2014 mm	900 x 2026 mm	1736 x 2014 mm	1760 x 2026 mm
875 x 2114 mm	900 x 2126 mm	1736 x 2114 mm	1760 x 2126 mm
NEW 975 x 2114 mm	1000 x 2126 mm	1936 x 2314 mm	1960 x 2326 mm
975 x 2314 mm	1000 x 2326 mm	1936 x 2514 mm	1960 x 2526 mm
975 x 2514 mm	1000 x 2526 mm		


SLIDE, SLIDE INTENSE, SLIDE AUTOMATIC	Recommended finished door opening	SLIDE DUO, SLIDE INTENSE DUO & SLIDE AUTOMATIC DUO	Recommended finished door opening
957 x 2095 mm	min 900 x 2050 mm max. 900 x 2090 mm	1914 x 2095 mm	min 1860 x 2050 mm max. 1860 x 2090 mm
975 x 2295 mm	min 900 x 2250 mm max. 900 x 2290 mm	1914 x 2295 mm	min 1860 x 2250 mm max. 1860 x 2290 mm

HOUTSTRUCTUUR



Houtstructuur	
Oak Prime	Oak veneer panel in first choice finish
Oak Rustic	Oak veneer panel in rustic finish

WOOD COLOR TREATMENTS



	Houtstructuur
Untreated	Standard - untreated
Natural oak oil	Option
Weathered oak oil	Option

DOOR HANDLE OPTIONS



Standard door handle	Standard
Modern door handle	Option
Standard & modern door handle in satin-finished brass	Option



	WOOD
Cabinhook	Characteristic closure - Optional

INVISIBLE S10 COLLECTION

The STEELIT® INVISIBLE S10 door with **wooden frame** is fitted with **four built-in adjustable hinges**. In contrast to other STEELIT® DOORS, STEELIT® INVISIBLE doors do not have a steel frame. The invisible hinges are used to bring the door perfectly in line with the wooden frame.

STEELIT® INVISIBLE S10 DIMENSIONS

<i>net dimensions width x height</i>	Classic				Modern			
	4	6	8	12	UNI	3	4	4E
NEW 830 x 2015 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 830 x 2115 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 930 x 2115 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 930 x 2315 mm	✓	✓	✓	✓	✓	✓	✓	✓

<i>Net width door</i>	Minimum width of unfinished door opening	<i>Net height door</i>	Minimum height of unfinished door opening
830 mm	918 mm	2015 mm	2069 mm
930 mm	1018 mm	2115 mm	2169 mm
		2315 mm	2369 mm

INVISIBLE S20 COLLECTION

The STEELIT® INVISIBLE S20 door with an **aluminium frame** is fitted with **four built-in adjustable hinges**. In contrast to other STEELIT® DOORS, STEELIT® INVISIBLE doors do not have a steel frame. The invisible hinges are used to bring the door perfectly in line with the aluminium frame.

STEELIT® INVISIBLE S20 DIMENSIONS

	Classic				Modern			
<i>net dimensions width x height</i>	4	6	8	12	UNI	3	4	4E
NEW 830 x 2015 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 830 x 2115 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 930 x 2115 mm	✓	✓	✓	✓	✓	✓	✓	✓
NEW 930 x 2315 mm	✓	✓	✓	✓	✓	✓	✓	✓

<i>Net width door</i>	Minimum width of unfinished door opening	<i>Net height door</i>	Minimum height of unfinished door opening
830 mm	900 mm	2015 mm	2060 mm
930 mm	1000 mm	2115 mm	2160 mm
		2315 mm	2360 mm

THIS MODULAIR COMBINATION

W 2636 x H 2500 mm

STEELIT® CLASSIC 8 DUO
2 x SIDE Modulair Classic 8
1 x TOP Modulair TMT202



DISCOVER THE MODULAIR CONCEPT


MODULAIR DOOR COLLECTION

The STEELIT® range has been carefully expanded with a collection of side and top windows in standard dimensions. This provides us with endless possibilities to combine these windows with our standard STEELIT® MODULAIR DOOR or STEELIT® MODULAIR DOOR DUO. As a result, we offer solutions for wider or higher door openings, without compromising on our competitive prices compared to custom-made solutions.

Combinations only possible with these door dimensions		STEELIT® SIDE MODULAIR	STEELIT® TOP MODULAIR
<i>STEELIT® MODULAIR DOOR</i>		Compatible	Compatible
875 x 2114 mm		✓	✓
NEW	975 x 2314 mm	✓	-
Combinations only possible with these door dimensions		STEELIT® SIDE MODULAIR	STEELIT® TOP MODULAIR
<i>STEELIT® MODULAIR DOOR DUO</i>		Compatible	Compatible
1736 x 2114 mm		✓	✓
NEW	1936 x 2314 mm	✓	-

A FEW EXAMPLES


	STEELIT® MODULAIR DOOR	STEELIT® MODULAIR	<i>net dimensions width x height</i>
1	Modulair Modern 4 DUO	4 x SIDE Modulair	3736 x 2314 mm
2	Modulair Modern 4	1 x SIDE Modulair 1 x TOP Modulair	1325 x 2600 mm
3	Modulair Classic 6 DUO	2 x SIDE Modulair 1 x TOP Modulair	2636 x 2500 mm



STEELIT® **SIDE MODULAIR** DIMENSIONS

A SIDE MODULAIR window is fastened to the **left and/or right** hand side of a STEELIT® DOOR. Feeling creative? Use a SIDE MODULAIR as a stand-alone window in rooms where you need natural light.

	Classic			Modern			
<i>width x height</i>	4	6	8	UNI	3	4	4E
450 x 2114 mm	✓	✓	✓	✓	✓	✓	✓
NEW 900 x 2114 mm	✓	✓	✓	✓	✓	✓	✓
NEW 450 x 2314 mm	✓	✓	✓	✓	✓	✓	✓
NEW 900 x 2314 mm	✓	✓	✓	✓	✓	✓	✓



STEELIT® TOP MODULAIR DIMENSIONS


A TOP MODULAIR window is **fastened above** a STEELIT® DOOR. Choose a single MODULAIR DOOR or MODULAIR DOOR DUO combination or match with one or two SIDE MODULAR windows.

	DOOR			DOOR DUO		
<i>width x height</i>	TMT100	TMT101	TMT102	TMT200	TMT201	TMT202
386 mm (TMT)	875 mm	1325 mm	1775 mm	1736 mm	2186 mm	2636 mm
<i>width x height</i>	TMT+100	TMT+101	TMT+102	TMT+200	TMT+201	TMT+202
486 mm(TMT+)	875 mm	1325 mm	1775 mm	1736 mm	2186 mm	2636 mm



ONLY IN COMBINATION WITH DOORS IN 2114 MM HEIGHT





STEELIT® CONFIGURATOR

Use the STEELIT®
CONFIGURATOR to
assemble your own
STEELIT® door system step
by step.

SPECIFICATIONS			QUANTITY	SIZE	
DOOR MODULAIR					
Model: Modulo3					
Type: EU Left - Double					
				1	1736mm x 2114mm
SIDE MODULAIR					
Model: Modulo3 (with subdivision)					
Type: SIDE modular					
Position: Right					
				1	450mm x 2114mm
TOP MODULAIR					
Model: Modulo3 (no subdivision)					
Type: TOP modular TMT203					
				1	2186mm x 386mm
Total size:					2186mm x 2500mm

Main office: Fortweg 2225, 2040 Sheikma | +32 (0)20 11 98 33 | www.steelit.be
 Handling: Fortweg 2225, 2040 Sheikma | +32 (0)20 10 41 33

REQUEST YOUR QUOTATION ONLINE

WITH OUR STEELIT® CONFIGURATOR

Visit us at steelit.be